

# **B42 GLOW**

# **SAFETY DATA SHEET**

\_\_\_\_\_

#### **SECTION 1. IDENTIFICATION**

Product name : B42 GLOW

# Manufacturer/supplier's details

Company name of supplier : Eagle Chemical
Address : 36801 Wabash St
Telephone : +1 734 464 2600
Local Emergency Contact : +1 734 464 2600

Identified Uses : Airport Runway De-icing

# **SECTION 2. HAZARD IDENTIFICATION**

## Physical hazards

Hazard classification : Not classified as hazardous

Signal word : N/A Hazard statement(s) : N/A

Hazard symbol(s) : No pictogram Precautionary Statements : Not required

Hazard not otherwise specified : None



\_\_\_\_\_

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### Components

Chemical name	Common name and synonyms	CAS Number	Concentration (%wt)
Potassium acetate	Potassium ethanoate; Potassium salt of acetic acid	127-08-2	50%
Water	H <sub>2</sub> o	7732-18-5	50%

(May Contain Trace amounts of corrosion inhibitors and optical enhancers)

#### **SECTION 4. FIRST AID MEASURES**

Inhalation : If inhaled, remove to fresh air. Get medical advice if cough or other

symptoms appear.

Ingestion : If swallowed, give milk or water to

drink and telephone for medical advice. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.

Direct eye contact : If in eyes: Rinse continuously with

water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Dermal exposure : Remove contaminated clothing and

wash skin thoroughly



#### **SECTION 5. FIRE-FIGHTING MEASURES**

General Fire Hazard : Water based – Nonflammable
Autoignition Temperature : None – Water based material
Special firefighting procedure : Spilled product on ground may be

slippery

slippery

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Spill procedure : Wear appropriate personal

protective equipment. Dilute with water to sewer if allowed by local

and state Regulations.

#### **SECTION 7. HANDLING AND STORAGE**

Storage : Keep in a tightly closed container,

stored in a cool, dry, ventilated area below 44°C (110°F). Protect against physical damage. Isolate from incompatible substances. Observe all warnings and precautions listed for the product. Drum must not be

washed out or used for other

purposes.

Handling : Avoid contact with eyes, skin and

clothing. Wash thoroughly after handling. Use only with adequate

ventilation.



## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Engineering measures : Use proper equipment while deicing runways

Personal protective : Gloves

equipment : eye protection

: non-porous boots

#### **SECTION 9. PHYSICAL AND CHEMICIAL PROPERTIES**

Appearance : Liquid Color : Clear

Odor : Odorless to mild vinegar odor (odor

threshold not available)

Odor threshold : No test data available

pH : 9-10

Freezing point : No test data available
Boiling point : No test data available
Flash point : No flash to 212 °F
Evaporation rate : No Test data available

Flammability : Not expected to form explosive

dust-air mixtures

Relative density : 1.27 – 1.30

Solubility : Completely miscible Viscosity : No data available

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No specific data available

Chemical stability : Stable

Possibility of hazardous reactions : Can react with strong acids,

potentially corrosive environment

Incompatible materials : Strong acids



# **SECTION 11. TOXICOLOGICAL INFROMATION**

# Information on routes of exposure

Inhalation Eve contact Skin contact Ingestion

**Components: Potassium Acetate** 

Acute oral toxicity LD50: Currently not available

Acute inhalation toxicity Currently not available

Remarks: unlikely route, Refer to

section 7

Acute dermal toxicity LD50: Not available

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

**Aquatic Toxicity** Low

LC50 Daphnia magna (48hr) 1,725 mg/L LC50 Pimephales promelas (96hr) 2,450 mg/L

**Biodegradability** Readily biodegradable BOD5 68°F (20°) 0.19 kg O<sub>2</sub>/kg fluid COD 0.34 kg O<sub>2</sub>/kg fluid

**Environmental fate** Dissociated into potassium ions

> and acetic ions in water, low potential to cause harm



# **Disposal Methods**

Waste : All disposal practices must follow

all Federal, State and local laws and

regulations

# **SECTION 14. TRANSPORTATION**

Physical state : Liquid

Transport hazard class : Non-regulated

Shipping requirements : Fiber Board Box, Clearly Labeled,

sealed containers, Keep upright

Packing Group : Non-Hazardous

Note : Not regulated under U.S. DOT or

Transport Canada Regulations

## **Section 15. Other Information**

#### **SDS**

Prepared : 10/23/2024

Revision # : 2

Changes : Transportation Section Added